



Automated Door Drive - Straight Up and Down

- Typically used for pass throughs, appliance garages, safes, pantries , boardrooms etc.
- Door only moves straight up and down. Two types are available. When open, the door can be behind a fixed panel OR it can be covering shelves that are exposed when the door is down.
- The door drive is a motor tube with lifting straps. Starting and stopping points for the door are set at installation.
- Home automation connection available when requested.
- Doors are not included. System includes tracks , motor drive and controls.
- Controls available include IR remote , RFQ remote, low voltage switch, 120 volt switch and Home Automation Integration
- Custom guides and roller assemblies available




STORAGEMOTION^{INC.}

NTS

Guides/tracks
Top View


2 1/2

1 1/2
inches



Roller Assembly
Top View

Custom roller
assembly designs
also available




1 1/2

Padded slot
for roller


Length of
Guides is
typically twice
height of the
door plus a
few inches



Length of
Roller
Assembly
depends on
height of the
door




Top view




Guides/tracks on each end. Can also be moved out laterally with plywood extensions (not included) added to the roller assembly.

2 inch diameter Motor Tube requires approx a minimum 5 inches of depth.

Motor Tube – can also be placed lower or anywhere it can implement proper leverage



Side View



Front view





To request a quote please include the following

1. The approx height and width and thickness of the door
2. The approx weight
3. Type of controls desired